



Java and C# in depth

Carlo A. Furia, Marco Piccioni, Bertrand Meyer

C#: framework overview
and in-the-small features



Java and C# in depth

Carlo A. Furia, Marco Piccioni, Bertrand Meyer

C#: framework overview



What's in a name

Internal name of initial project: Cool (C-like Object Oriented Language)

- Ruled out by the trademark lawyers

Chief C# architect at Microsoft: Anders Hejlsberg

- Previously on Turbo Pascal & Delphi

Grounded in the .NET platform and CLI (Common Language Infrastructure)

“An imitation of Java”

- According to Java's Bill Gosling


Version 1.0: 2001

Latest version: 5.0 (August 2012)

C# platform goals (from ECMA standard)

- Simple, general-purpose, object-oriented
- Correct and robust
 - strong type checking, array bounds checking, detecting usage of uninitialized variables, automated memory management, ...
- Component- and reusability-oriented
- Programmer-portable
 - easy for developers coming from C/C++ and from other .NET languages
- No direct competition with C in terms of performance
- Introduction of selected functional programming features
 - Main motivation: dealing with data conveniently

CLI: Common Language Infrastructure





- C# compilation produces CIL (Common Intermediate Language) code
- Instruction set similar to Java bytecode
 - “object-oriented stack-based assembly code”
- CIL code is organized in assemblies
 - for Windows platforms: .exe and .ddl
- Executed by a Virtual Machine (VM)
 - .NET on Windows platforms
 - Mono for Linux/Unix
- Code generation usually with a JIT compiler
 - AOT (Ahead-Of-Time) option also available

1. Of the language:

- Restricted: no pointers, no explicit memory de-allocation, checked type casts, enforced array bounds

2. Of the runtime: CAS (Code Access Security)

- **Code group**
 - Associate evidences with permission types
 - Associations vary according to environment-dependent policies
- **Evidence**
 - Any information associated with an assembly
 - E.g., digital signature of publisher, URL, an hash identifying the version, etc.

3. Verification and validation

- Series of checks that make sure that the code doesn't do anything clearly unsafe
 - Checks can be quite conservative: safe code may be rejected



- CLR can denote two things:
 - the runtime component of CLI
 - Microsoft's implementation of it for Windows platforms
- A JIT compiler converts CLI bytecode into native code just before running it
 - classes and methods are compiled dynamically just when they are needed
- Alternatively, a AOT (Ahead-Of-Time) compiler translates the whole application in native code
 - NGEN (Native Image Generator) in Microsoft's CLR
 - not necessarily overall faster than JIT: certain dynamic optimization can be done only with JIT

CLR: more features



- Exception handling
- Memory management (garbage collection)
- Threads and concurrency
- Usually includes set of libraries:
FCL (Framework Class Libraries)
- Has other languages running on top of it
 - VB.NET
 - J# (transitional language from Java to C#)
 - IronPython, IronRuby, IronScheme
 - ...

- Compile

```
csc a_file.cs // Microsoft .NET
mcs a_file.cs // Mono .NET
```

- Execute

```
a_file.exe
./a_file.exe
```

- Generate XML documentation

```
csc /doc:docu.xml a_file.cs
mcs -doc:docu.xml a_file.cs
```

- Compile all .cs files in the current directory and pack them in a DLL

```
csc /target:library /out:a_library.dll *.cs
mcs -target:library -out:a_library.dll *.cs
```



Java and C# in depth

Carlo A. Furia, Marco Piccioni, Bertrand Meyer

C#: in-the-small language features

Encoding and formatting



- Uses unicode as encoding system: www.unicode.org
- Free format
 - Blanks, tabs, new lines, form feeds are only used to keep tokens separate
- Comments
 - Single line: `//Single line comment`
 - Multiple lines: `/* non-nested, multi-line
comment */`
 - Comment for XML documentation system:
`/** multi /// single-line
line */`



- Maximum length: 255 characters
- Can start with `_` or `@` or a letter
- Cannot start with a digit or a symbol other than `_` or `@`
- Cannot include `/` or `-`
- `@` can appear only in the first position
- Cannot be a keyword

Attributes are something else in C#

The counterparts to Java's annotations

Meant to provide additional declarative information about program entities, which can be retrieved at run-time.

Typical usages:

- Debugging information
e.g.: line number in the source where a method is called
`[CallerLineNumber]`
- Information for code analysis/compilation
e.g.: to compile certain code only in debugging mode
`[Conditional ("DEBUG")]`
- Compiler flags
e.g.: to generate a warning during compilation
`[Obsolete ("You'd better use class X instead")]`

Keywords



<code>abstract</code>	<code>as</code>	<code>base</code>	<code>bool</code>
<code>break</code>	<code>by</code>	<code>byte</code>	<code>case</code>
<code>catch</code>	<code>char</code>	<code>checked</code>	<code>class</code>
<code>const</code>	<code>continue</code>	<code>decimal</code>	<code>default</code>
<code>delegate</code>	<code>do</code>	<code>double</code>	<code>descending</code>
<code>explicit</code>	<code>event</code>	<code>extern</code>	<code>else</code>
<code>enum</code>	<code>false</code>	<code>finally</code>	<code>fixed</code>
<code>float</code>	<code>for</code>	<code>foreach</code>	<code>from</code>
<code>goto</code>	<code>group</code>	<code>if</code>	<code>implicit</code>
<code>in</code>	<code>int</code>	<code>interface</code>	<code>internal</code>
<code>into</code>	<code>is</code>	<code>lock</code>	<code>long</code>
<code>new</code>	<code>null</code>	<code>namespace</code>	<code>object</code>
<code>operator</code>	<code>out</code>	<code>override</code>	<code>orderby</code>
<code>params</code>	<code>private</code>	<code>protected</code>	<code>public</code>
<code>readonly</code>	<code>ref</code>	<code>return</code>	<code>switch</code>
<code>struct</code>	<code>sbyte</code>	<code>sealed</code>	<code>short</code>
<code>sizeof</code>	<code>stackalloc</code>	<code>static</code>	<code>string</code>
<code>select</code>	<code>this</code>	<code>throw</code>	<code>true</code>
<code>try</code>	<code>typeof</code>	<code>uint</code>	<code>ulong</code>
<code>unchecked</code>	<code>unsafe</code>	<code>ushort</code>	<code>using</code>
<code>var</code>	<code>virtual</code>	<code>volatile</code>	<code>void</code>
<code>while</code>	<code>where</code>	<code>yield</code>	

Operators



- Primary: `.`, `()`, `[]`, `x++`, `x--`, `new`, `typeof`, `checked`, `unchecked`
- Unary: `+`, `-`, `!`, `~`, `++x`, `--x`, `(aType)x`
- Multiplicative: `*`, `/`, `%`
- Additive: `+`, `-`
- Shift: `<<`, `>>`
- Relational: `<`, `>`, `<=`, `>=`, `is`, `as`
- Equality: `==`, `!=`
- Logical (precedence left to right): `&`, `^`, `|`, `&&`, `||`
- Conditional: `condition ? (expr1) : (expr2)`
- Assignment: `=`, `+=`, `-=`, `*=`, `/=`, `%=`, `&=`, `|=`, `^=`, `<<=`, `>>=`
- Precedence: from top to bottom
- Tip: don't rely too much on precedence rules: use parentheses

Overflow handling



```
int i = 2147483647 + 10; // compiler error
int ten = 10
int j = 2147483647 + ten; /* no compiler error.
Result: -2147483639. Overflow checking can be
enabled by compiler options, environment
configuration or the checked keyword. */
Console.WriteLine(checked(2147483647 + ten));
// OverflowException
Console.WriteLine(unchecked(2147483647 + 10));
// no compiler error. Result: -2147483639
```

Type system: value types



- Basic value types

- `sbyte`, `short`, `int`, `long`, `byte`, `ushort`,
`uint`, `ulong`, `decimal`, `float`, `double`, `bool`,
`char`
- `struct`
- `enum`

- Nullable types for value types

```
int? n = null; ...
```

```
if (n != null){int m = n.Value}
```

```
int p = n ?? 7 //null coalescing operator:  
//if n != null p = n, otherwise p = 7
```

Type system: reference types



- [] (arrays)
- class
- interface
- delegate
- event
- Pointers
 - restricted to blocks marked **unsafe**
 - **unsafe** blocks can be executed only with certain permissions enabled

Widening conversions with precision loss

```
float g(int x) {  
    return x;  
}  
  
...  
int i = 1234567890;  
float f = g(i);  
Console.WriteLine(i - (int)f)  
// output: -46  
  
...
```

Boxing and unboxing



- Variables of value types are stored on the stack
- Variables of reference types are stored on the heap
- **Boxing** transforms a value type into a reference of type **object** and is implicit

```
int i = 2;
```

```
object o = i;
```



- **Unboxing** transforms a reference of type **object** into a value type and requires a cast

```
object o = 3;
```

```
int i = (int)o;
```

Control flow: conditional branch



Same syntax as in C/C++/Java

```
if (booleanExpr)
{
    // do something
}
else // else is optional
{
    // do something else
}
```

Control flow: loops



```
while (booleanExpr)
{
    // execute body
    // until booleanExpr becomes false
}
```

```
do
{
    // execute body (at least once)
    // until booleanExpr becomes false
}
```

```
while (booleanExpr) ;
```



Control flow: `for` loop

```
for (int i=0; i < n; i++)  
{  
    // execute loop body n times  
}
```

// equivalent to the following

```
int i=0;  
while (i < n)  
{  
    // execute loop body n times  
    i++;  
}
```


Control flow: `foreach` loop



```
foreach (variable in collection)
{
    // loop body
}
```

- `collection` is an array or an object of a class that implements `IEnumerable`
- Executes the loop body for every element of the `collection`, assigned iteratively to `variable`

Control flow: **switch** selector



```
switch (Expr) {  
    case value: instructions;  
        break;  
    case value: instructions;  
        break;  
    // ...  
    default: instructions;  
        break;  
}
```

- **Expr** can be an integer or **string** expression
- **break** is required after each non-empty block
 - Including the **default** block
 - Fall through forbidden
unless an **instructions** block is empty

Breaking the control flow: `break` and `continue`



`break;`

- Within a loop or a switch
- Exit the loop or switch

`continue;`

- Within a loop
- Skip the remainder of the current iteration and continue with the next iteration



Breaking the control flow: `goto`

`Label: instruction`

- Identifies an instruction (possibly compound, such as a loop)

`goto Label;`

- Anywhere
- Transfer control directly to the labeled statement

`goto case value;`

`goto default;`

- Within a `switch` (replacing standard `break` terminator)
- Transfer control to the corresponding `case` or to the `default`