

Solution 5: Assignments and control structures

ETH Zurich

1 Assignments

The solution lists the correct statements for each of the subtasks.

1. (c)
2. (a)
3. (b)
4. (d)
5. (c)
6. (d) (e)
7. (a)
8. (c) (e)
9. (b) (e)

2 Reading loops

Version A:

- The result of the comparison using `=` will always be **False** (*STRING* is a reference type).
- The result of the second if statement will always be **False**, because in the first if statement no assignment was performed (station is **Void**).
- Regardless of the previous observation, the second if-statement is inside the loop, so it would try to move “Central” in every loop iteration after it had been found. This behavior is not incorrect, but it is inefficient, because the same operation is performed again and again while it could be performed only once after the loop.
- The corrected code of version A is shown in Listing 1.

Version B:

- Infinite loop: there is no call to a command that advances the cursor position in the list.
- Possible precondition violation: *i.item.name* `~` “**Central**” will most likely be tested before *i.after*, therefore trying to access an item when the cursor has already advanced past the end of the list. To get a guaranteed correct order of evaluation, switch the two conditions and use **or else** instead of **or**.
- The corrected code of version B is shown in Listing 2.

Listing 1: Version A

```
explore
  -- Move "Central".
  local
    station: STATION
  do
    across
      Zurich.stations as i
    loop
      if i.item.name ~ "Central" then
        station := i.item
      end
    end
  end
  if station /= Void then
    station.set_position ([0.0, 0.0])
  end
end
```

Listing 2: Version B

```
explore
  -- Move "Central".
  local
    i: like Zurich.stations.new_cursor
  do
    from
      i := Zurich.stations.new_cursor
    until
      i.after or else i.item.name ~ "Central"
    loop
      i.forth
    end
  end
  if not i.after then
    i.item.set_position ([0.0, 0.0])
  end
end
```

3 Next station: loops

note

description: "Route information displays."

class

DISPLAY

inherit

ZURICH_OBJECTS

feature -- Explore Zurich

add_public_transport

-- Add a public transportation unit per line.

```
do
  across
    Zurich.lines as i
  loop
    i.item.add_transport
  end
end
```

update_transport_display (t: *PUBLIC_TRANSPORT*)

-- Update route information display inside transportation unit 't'.

```
require
  t.exists: t /= Void
local
  i: INTEGER
  s: STATION
```

```

do
  console.clear
  console.append_line (t.line.number.out + " Willkommen/Welcome")
from
  i := 1
  s := t.arriving
until
  i > 3 or s = Void
loop
  console.append_line (stop_info (t, s))
  s := t.line.next_station (s, t.destination)
  i := i + 1
end
if s /= Void then
  if s /= t.destination then
    console.append_line ("...")
  end
  console.append_line (stop_info (t, t.destination))
end
end

stop_info (t: PUBLIC_TRANSPORT; s: STATION): STRING
-- Information about stop 's' of transportation unit 't'.
require
  t_exists: t /= Void
  s_on_line: t.line.has_station (s)
local
  time_min: INTEGER
  l: LINE
do
  time_min := t.time_to_station (s) // 60
  if time_min = 0 then
    Result := "<1"
  else
    Result := time_min.out
  end
  Result := Result + " Min.%T" + s.name

  -- Optional task:
  across
    s.lines as i
  loop
    l := i.item
    if l /= t.line and
      ((l.next_station (s, l.first) /= Void and not
        t.line.has_station (l.next_station (s, l.first))) or
      (l.next_station (s, l.last) /= Void and not
        t.line.has_station (l.next_station (s, l.last)))) then
      Result := Result + " " + i.item.number.out
    end
  end
end
end
end

```

end

4 Board game: Part 1

There are several possible solutions; we discuss the two most reasonable in our opinion.

The simpler solution only includes three classes:

- *GAME*: encapsulates the logic of the game (start state, the structure of a round, ending conditions).
- *DIE*: provides random numbers in the required range.
- *PLAYER*: stores the state of each player in the game and performs a turn.

We discarded *ROUND* and *TURN*: we consider them parts of the *GAME* and *PLAYER* behavior respectively, rather than separate abstractions. Additionally *PLAYER* and *TOKEN* represent the same abstraction for now.

In the simple solution we don't introduce classes for *SQUARE* and *BOARD*. The only information associated with squares in the current version of the game is their index, thus a square can be easily represented with an integer. Also the board in the current version doesn't have any specific structure (square arrangement); the only property of the board is the number of squares, which probably does not deserve a separate class and instead can be stored in *GAME*.

A more flexible solution additionally includes classes *SQUARE* and *BOARD*. Though *SQUARE* doesn't contain enough behavior for now, we anticipate that in the future versions of the game there might be squares with special properties and behavior (this anticipation is based on our knowledge of the problem domain, namely that interesting boardgames have squares of different types with different properties).

Introducing class *BOARD* makes the solution more flexible with respect to the arrangement of squares on the board. In the simple version the knowledge about "on which square does a token land if it moves n steps starting from square x " is located in class *PLAYER*. Once it becomes more complicated than just $x + n$, it is better to encapsulate such knowledge in class *BOARD*.

5 MOOC: Assignment, control structures

The order in which the questions and the answers appear here in the solution may vary because they are randomly shuffled at each attempt.

References, Assignment, and Object Structure

- Choose the appropriate initialization values for the variables below: `nat_val`: NATURAL (0); `int_val`: INTEGER (0); `real_val`: REAL (0.0); `bool_val`: BOOLEAN (False); `char_val`: CHARACTER (null char); `string_val`: STRING (Void)
- Suppose to have the following class *PERSON*:

```
class
  PERSON

create
  set_friend,
  default_create
```

```
feature -- Initialization

  set_friend (f: PERSON)
    -- Initialize current object.
  do
    friend := f
  end

feature -- Access

  friend: PERSON
end
```

In some other class, some objects of type PERSON are created and initialized:

```
create kima
create jimmy.set_friend (kima)
create buck.set_friend (jimmy)
create rhonda.set_friend (buck)
create kima.set_friend (rhonda)
```

We claim that there is a cycle in the four objects above. True or False? False

- Determine to whom the following calls apply: `set_color ("red")`: to Current; `my_pic.set_color ("blue")`: to the object attached to `my_pic`; `till.friend.friend`: to the object attached to `till.friend`.
- Determine if the following calls are qualified or unqualified: `set_color ("red")`: unqualified; `my_pic.set_color ("blue")`: qualified; `arno.friend.friend`: both qualified; `draw`: unqualified.
- Assuming you have the following definitions:

```
s1: STRING = "Game"
s2: STRING = " of Thrones"
```

What can you say about the following Eiffel routine?

```
join_strings (s1, s2: STRING)
  -- Append s2 to s1.
do
  s1.append (s2)
end
```

It works as expected: `s1` has value "Game of Thrones"; This routine produces a side effect on `s1`.

- What can you say about the following Eiffel routine?

```
increment (num: INTEGER)
  -- Add 1 to num.
do
  num := num + 1
end
```

It does not work as expected: `num` is not incremented; It does not compile. In Eiffel you cannot assign directly to a routine argument.

- Suppose to have the following class ITEM:

```
class
  ITEM

create {ORDER_LINE}
  set_description

feature {NONE} -- Initiation

  set_description (d: STRING)
    -- Set description for current object.
  do
    description := d
  end

feature -- Basic operations

  set_price (p: INTEGER)
    -- Set price for current object.
  do
    price := p
  end

feature -- Access

  description: STRING
    -- Item description.

  price: INTEGER
    -- Item price.

end
```

Which of the following is true? Objects of class ITEM can be created from within objects of class ORDER_LINE; Feature set_description can be used as a creation procedure, but cannot be invoked normally (that is, not as a creation procedure) on an object of type ITEM from another class.

- Suppose to have the following class ITEM:

```
class
  ITEM

feature -- Basic operations

  set_price (p: INTEGER)
    -- Set price for current object.
  do
    price := p
  end

feature -- Access

  price: INTEGER
```

```
end
```

In some other class TEST, the following routine is declared:

```
swap_prices (item_1, item_2: ITEM)
    -- Swap prices of items.
    local
        temp: INTEGER
    do
        temp := item_1.price
        item_1.set_price (item_2.price)
        item_2.set_price (temp)
    end
```

Assume that in the same class TEST two references of type ITEM are declared:

```
item_one, item_two: ITEM
```

Then the following happens:

```
create item_one
item_one.set_price (7)
create item_two
item_two.set_price (4)
swap_prices (item_two, item_one)
print (item_one.price.out)
print (item_two.price.out)
```

What will be printed on the console? 47

Control Structures

- Complete the code of the following function maximum by choosing the correct instructions:

```
maximum (a, b: INTEGER): INTEGER
    -- The maximum between a and b.
do
    if a > b then
        Result := a
    else
        Result := b
    end
end
```

Complete the code of the following function print_relation by choosing the correct instructions:

```
print_relation (a, b: INTEGER)
    -- Prints if a > b, a < b or a = b.
do
    if a > b then
        print (a.out + ">" + b.out)
    else
        if a < b then
            print (a.out + "<" + b.out)
        end
    end
end
```

```
        else
            print ("The 2 numbers are equal.")
        end
    end
end
```

- Complete the code of the following function remainder by choosing the correct instructions. Assume d1 and d2 are positive.

```
remainder (d1, d2: INTEGER): INTEGER
    -- Compute the remainder of integer division between d1 and d2.
do
    from
        Result := d1
    until
        Result <= d2
    loop
        Result := Result - d2
    end
    -- nothing here
end
```

- Complete the code of the following function absolute_value by choosing the correct instructions:

```
absolute_value (a: INTEGER): INTEGER
    -- Absolute value of a.
do
    if a >= 0 then
        Result := a
    else
        Result := -a
    end
end
```

- Assuming that c is a CHARACTER, what will the following instruction print, if executed with c = '0'?

```
inspect c
    when '1'..'9' then
        print ("number")
    when 'a'..'z' then
        print ("lower case letter")
    when 'A'..'Z' then
        print ("upper case letter")
    when '#', '@', '%' then
        print ("special character")
    else
        print ("unexpected character")
end
```

It will print “unexpected character”.

- Complete the code of the following function `euclid` by choosing the correct expressions for the loop invariant and the loop variant:

```

euclid (a, b: INTEGER): INTEGER
    -- Greatest common divisor of a and b.
require
    a_positive: a > 0
    b_positive: b > 0
local
    m, n: INTEGER
do
    from
        m := a
        n := b
    invariant
        euclid (a, b) = euclid (m, n)
    variant
        m + n
    until
        m = n
    loop
        if m > n then
            m := m - n
        else
            n := n - m
        end
    end
    Result := m
end
end
    
```

Listing 3: Class `WORD_GAMES`

```

note
    description: "Objects of this class store and manage a list of books."

class
    LIBRARY

inherit

    ANY
    redefine
        default_create
    end

feature {NONE} -- Initialization

    default_create
        -- Create an empty library.
    do
        create all_books.make
    end
    
```

feature -- Access

```
is_copy_available (title, author: STRING): BOOLEAN
  -- Is a copy with given title and author available?
do
  from
    all_books.start
  until
    all_books.after or Result
  loop
    if all_books.item.title ~ title and all_books.item.author ~ author and all_books.item.
      number_of_available_copies > 0 then
      Result := True
    end
    all_books.forth
  end
end
```

feature -- Element change

```
extend (a_book: BOOK)
  -- Extend library with a_book.
require
  not book_in_library (a_book)
do
  all_books.extend (a_book)
ensure
  one_more: all_books.count = old all_books.count + 1
  book_added: all_books.last = a_book
end
```

```
remove (a_book: BOOK)
  -- Remove a_book from library.
require
  book_in_library (a_book)
do
  all_books.start
  all_books.search (a_book)
  all_books.remove
ensure
  one_less: all_books.count = old all_books.count - 1
  book_not_in_library: not all_books.has (a_book)
end
```

feature -- Output

```
get_all_titles: STRING
  -- Return titles of all books in the library.
do
  if all_books.is_empty then
    Result := "No book available at the moment"
```

```
    else
      Result := ""
      from
        all_books.start
      until
        all_books.after
      loop
        Result.append (all_books.item.title + ", ")
        all_books.forth
      end
      -- Remove the last ", "
      Result.remove_tail (2)
    end
  end
end

feature {NONE} -- Implementation

all_books: LINKED_LIST [BOOK]
  -- List of books in the library.

feature -- Contracts

book_in_library (some_book: BOOK): BOOLEAN
do
  Result := all_books.has (some_book)
end

end
```

Listing 4: Class *WORD_GAMES*

```
note
  description: "The class {PALINDROME} implements algorithms that are related
  to strings."
  author: "hce"
  date: "11.07.2013"

class
  WORD_GAMES

feature -- Basic algorithms

is_palindrome (s: STRING): BOOLEAN
  -- Returns true if 's' is a palindrome.
  require
    input_valid: s /= Void and not s.is_empty
  local
    l_reversed_s: STRING
    i: INTEGER
  do
    -- We start with an empty reversed string.
    l_reversed_s := ""
    Result := false
```

```
from
  i := s.count
until
  i = 0
loop
  -- We append to the reversed string the characters from
  -- the s, read from the end to the beginning (in reverse order)
  L_reversed_s.append_character (s.at (i))
  i := i - 1
end
-- If a string is the same as its reversed, then it is palindrome.
if L_reversed_s.is_equal (s) then
  Result := true
end
end
end
```

Listing 5: Class *DECIMAL_TO_BINARY_CONVERTER*

```
note
  description: "Summary description for {DECIMAL_TO_BINARY_CONVERTER
  }."
  author: ""
  date: "$Date$"
  revision: "$Revision$"

class
  DECIMAL_TO_BINARY_CONVERTER

feature -- Conversion

  valid_input (n: INTEGER): BOOLEAN
    -- Is 'n' a valid input for a conversion?
  do
    Result := 0 <= n and n <= 100000000
  end

  to_binary (n: INTEGER): STRING
    -- Binary representation of a number 'n' expressed in base 10.
  require
    valid_input: valid_input (n)
  local
    my_local: INTEGER
  do
    if n = 0 then
      Result := "0"
    else
      from
        -- We will build the result string digit by digit
        Result := ""
        -- We start from n and save it in our temp variable
```

```
    my_local := n
  invariant
    -- Our invariant states that at every iteration the value
    -- in our temp variable corresponds to n divided by 2
    -- to the power of the number of elements in the result string.
    -- The truncation to an integer is necessary because ^ gives a real.
    my_local = n // (2 ^ Result.count).truncated_to_integer
  until
    -- We exit the loop when my_local reaches 0
    my_local = 0
  loop
    -- We build the result string one digit at the time
    -- Note that we are using the modulus operator
    -- for computing the remainder of integer division
    Result.prepend_integer (my_local \% 2)
    -- Now we update my_local using the integer division
    my_local := my_local // 2
  variant
    -- This is always decreasing and positive
    my_local + 1
  end
end
ensure
  result_exists: result /= Void and then not Result.is_empty
end
end
```