



Einführung in die Programmierung Introduction to Programming

Prof. Dr. Bertrand Meyer

Exercise Session 3

Today



- We will revisit classes, features and objects.
- We will see how program execution starts.
- We will play a game.



- A program consists of a set of classes.
- Features are declared in classes. They define operations on objects constructed from the class.
 - Queries answer questions. They have a result type.
 - Commands execute actions. They do not have a result type.
- Terms "class" and "type" used interchangeably for now.



- At runtime we have a set of objects (instances) constructed from the classes.
- An object has a type that is described in a class.
- Objects interact with each other by calling features on each other.

Static view vs. dynamic view



- Queries (attributes and functions) have a return type. However, when **executing** the query, you get an object.
- Routines have formal arguments of certain types. During the **execution** you pass objects as actual arguments in a routine call.
- During the **execution** local variables declared in a routine are objects. They all have certain types.

Declaring the type of an object



- The type of any object you use in your program must be declared somewhere.
- Where can such declarations appear in a program?
 - in feature declarations
 - formal argument types
 - return type for queries
 - in the local clauses of routines

This is where you declare any objects that only the routine needs and knows.

Declaring the type of an object



```
class DEMO
```

```
feature
```

```
  procedure_name (a1: T1; a2, a3: T2)
```

```
    -- Comment
```

formal argument types

```
  local
```

```
    l1: T3
```

local variable types

```
  do
```

```
    ...
```

```
  end
```

```
  function_name (a1: T1; a2, a3: T2): T3
```

return type

```
    -- Comment
```

```
  do
```

```
    ...
```

```
  end
```

```
  attribute_name: T3
```

return type

```
    -- Comment
```

```
end
```

Exercise: Find the classes / objects

Hands-On

class

game

feature

map_name: string

-- Name of the map to be loaded for the game

last_player: player

-- Last player that moved

players: player_list

-- List of players in this game.

...

Exercise: Find the classes / objects

Hands-On

feature

is_occupied (a_location: traffic_place): boolean

-- Check if `a_location` is occupied by some flat hunter.

require

a_location_exists: a_location /= Void

local

old_cursor: cursor

do

Result := False

-- Remember old cursor position.

old_cursor := players.cursor

...

Exercise: Find the classes / objects

Hands-On

```
-- Loop over all players to check if one occupies
-- `a_location'.
from
  players.start
  -- do not consider estate agent, hence skip the first
  -- entry in `players'.
  players.forth
until
  players.after or Result
loop
  if players.item.location = a_location then
    Result := True
  end
  players.forth
end

-- Restore old cursor position.
players.go_to(old_cursor)
end
```

Who are Adam and Eve?



- Who creates the first object? The runtime creates a so called **root object**.
- The root object creates other objects, which in turn create other objects, etc.
- You define the type of the root object in the project settings.
- You select a creation procedure of the root object as the first feature to be executed.

Acrobat game

Hands-On

- We will play a little game now.
- Everyone will be an object.
- There will be different roles.

You are an acrobat



- When you are asked to **Clap**, you will be given a number. Clap your hands that many times.
- When you are asked to **Twirl**, you will be given a number. Turn completely around that many times.
- When you are asked for **Count**, announce how many actions you have performed. This is the sum of the numbers you have been given to date.

You are an *ACROBAT*



```
class
  ACROBAT

feature
  clap (n: INTEGER)
    do
      -- Clap `n` times and adjust `count`.
    end

  twirl (n: INTEGER)
    do
      -- Twirl `n` times and adjust `count`.
    end

  count: INTEGER
end
```

You are an acrobat with a buddy



- You will get someone else as your Buddy.
- When you are asked to **Clap**, you will be given a number. Clap your hands that many times. Pass the same instruction to your Buddy.
- When you are asked to **Twirl**, you will be given a number. Turn completely around that many times. Pass the same instruction to your Buddy.
- If you are asked for **Count**, ask your Buddy and answer with the number he tells you.

You are an *ACROBAT_WITH_BUDDY*



```
class
  ACROBAT_WITH_BUDDY

inherit
  ACROBAT
  redefine
    twirl, clap, count
  end

create
  make

feature
  make (p: ACROBAT)
  do
    -- Remember `p' being the buddy.
  end

  clap (n: INTEGER)
  do
    -- Clap `n' times and forward to buddy.
  end
end
```


You are an *ACROBAT_WITH_BUDDY*



twirl (*n: INTEGER*)

do

-- Twirl `n` times and forward to buddy.

end

count: INTEGER

do

-- Ask buddy and return his answer.

end

buddy: ACROBAT

end



- When you are asked to **Clap**, you will be given a number. Clap your hands that many times. Say "Thank You." Then take a bow (as dramatically as you like).
- When you are asked to **Twirl**, you will be given a number. Turn completely around that many times. Say "Thank You." Then take a bow (as dramatically as you like).
- When you are asked for **Count**, announce how many actions you have performed. This is the sum of the numbers you have been given to date.

You are an *AUTHOR*



```
class
  AUTHOR

inherit
  ACROBAT
  redefine
    clap, twirl
  end

feature
  clap (n: INTEGER)
  do
    -- Clap `n' times say thanks and bow.
  end

  twirl (n: INTEGER)
  do
    -- Twirl `n' times say thanks and bow.
  end

end
```

You are a curmudgeon



- When given any instruction (**Twirl** or **Clap**), ignore it, stand up and say (as dramatically as you can) "I REFUSE".
- If you are asked for **Count**, always answer with 0.
- Then sit down again if you were originally sitting.

You are a *CURMUDGEON*



```
class
  CURMUDGEON
```

```
inherit
  ACROBAT
  redefine
    clap, twirl
  end
```

```
feature
  clap (n: INTEGER)
  do
    -- Say "I refuse".
  end
```

```
  twirl (n: INTEGER)
  do
    -- Say "I refuse".
  end
```

```
end
```

I am the root object



- I got created by the runtime.
- I am executing the first feature.

I am a *DIRECTOR*



class

DIRECTOR

create

prepare_and_play

feature

prepare_and_play

do

-- See following slides.

end



I am the root object



prepare_and_play

local

acrobat1, acrobat2, acrobat3 : ACROBAT
partner1, partner2: ACROBAT_WITH_BUDDY
author1: AUTHOR
curmudgeon1: CURMUDGEON

do

create *acrobat1*
create *acrobat2*
create *acrobat3*
create *partner1.make (acrobat1)*
create *partner2.make (partner1)*
create *author1*
create *curmudgeon1*
author1.clap (4)
partner1.twirl (2)
curmudgeon1.clap (7)
acrobat2.clap (curmudgeon1.count)
acrobat3.twirl (partner2.count)
partner1.buddy.clap (partner1.count)
partner2.clap (2)

end



Eiffel	Game
Classes with Features	Telling person to behave according to a specification
Objects	People
Interface	What queries What commands
Polymorphism	Telling different people to do the same has different outcomes
Command Call	Telling a person to do something
Query Call	Asking a question to a person
Arguments	E.g. how many times to clap



Eiffel	Game
Inheritance	All people were some kind of ACROBAT
Creation	Persons need to be born and need to be named
Return value	E.g. count in ACROBAT_WITH_BUDDY
Entities	Names for the people
Chains of feature calls	E.g. partner1.buddy.clap (2)



The following slides contain advanced material and are optional.



- Invariants
 - Marriage problems
 - Violating the invariant

Invariants explained in 60 seconds



- Consistency requirements for a class
- Established after object creation
- Hold, when an object is *visible*
 - Entry of a routine
 - Exit of a routine

```
class
  ACCOUNT
feature
  balance: INTEGER
invariant
  balance >= 0
end
```

Public interface of person (without contracts)



```
class
  PERSON
feature
  spouse: PERSON
    -- Spouse of Current.

  marry (a_other: PERSON)
    -- Marry `a_other'.
end
```

```
class
  MARRIAGE
feature
  make
    local
      alice: PERSON
      bob: PERSON
    do
      create alice
      create bob
      bob.marry (alice)
    end
end
```

Write the contracts

Hands-On

class *PERSON*

feature

spouse: PERSON

marry (a_other: PERSON)

require

??

ensure

??

invariant

??

end

A possible solution



class *PERSON*

feature

spouse: PERSON

marry (a_other: PERSON)

require

a_other /= Void

a_other.spouse = Void

spouse = Void

ensure

spouse = a_other

a_other.spouse = Current

end

invariant

spouse /= Void implies spouse.spouse = Current

end

Implementing *marry*



```
class PERSON
```

```
feature
```

```
  spouse: PERSON
```

```
  marry (a_other: PERSON)
```

```
    require
```

```
      a_other /= Void
```

```
      a_other.spouse = Void
```

```
      spouse = Void
```

```
    do
```

```
      ??
```

```
    ensure
```

```
      spouse = a_other
```

```
      a_other.spouse = Current
```

```
    end
```

```
invariant
```

```
  spouse /= Void implies spouse.spouse = Current
```

```
end
```

Implementing *marry* I

Hands-On

```
class PERSON  
feature
```

```
  spouse: PERSON
```

```
  marry (a_other: PERSON)
```

```
    require
```

```
      a_other /= Void
```

```
      a_other.spouse = Void
```

```
      spouse = Void
```

```
    do
```

```
      a_other.spouse := Current
```

```
      spouse := a_other
```

```
    ensure
```

```
      spouse = a_other
```

```
      a_other.spouse = Current
```

```
    end
```

```
invariant
```

```
  spouse /= Void implies spouse.spouse = Current
```

```
end
```

Compiler Error:

No assigner
command

Implementing *marry* II

Hands-On

```
class PERSON
feature
  spouse: PERSON

  marry (a_other: PERSON)
    require
      a_other /= Void
      a_other.spouse = Void
      spouse = Void
    do
      a_other.set_spouse (Current)
      spouse := a_other
    ensure
      spouse = a_other
      a_other.spouse = Current
    end
```

```
set_spouse (a_person: PERSON)
do
  spouse := a_person
end
```

```
invariant
  spouse /= Void implies spouse.spouse = Current
end
```

```
local
  bob, alice: PERSON
do
  create bob; create alice
  bob.marry (alice)
  bob.set_spouse (Void)
  -- invariant of alice?
end
```

Implementing *marry* III

Hands-On

```
class PERSON
feature
  spouse: PERSON

  marry (a_other: PERSON)
    require
      a_other /= Void
      a_other.spouse = Void
      spouse = Void
    do
      a_other.set_spouse (Current)
      spouse := a_other
    ensure
      spouse = a_other
      a_other.spouse = Current
    end

  feature {PERSON}
    set_spouse (a_person: PERSON)
    do
      spouse := a_person
    end

  invariant
    spouse /= Void implies spouse.spouse = Current
end
```

Invariant of *a_other*?
Violated after call to
set_spouse

Implementing *marry*: final version



```
class PERSON
feature
  spouse: PERSON

  marry (a_other: PERSON)
    require
      a_other /= Void
      a_other.spouse = Void
      spouse = Void
    do
      spouse := a_other
      a_other.set_spouse (Current)
    ensure
      spouse = a_other
      a_other.spouse = Current
    end

feature {PERSON}
  set_spouse (a_person: PERSON)
    do
      spouse := a_person
    end

invariant
  spouse /= Void implies spouse.spouse = Current
end
```

Ending the marriage

Hands-On

class *PERSON*

feature

spouse: PERSON

divorce

require

spouse /= Void

do

spouse.set_spouse (Void)

spouse := Void

ensure

spouse = Void

(old spouse).spouse = Void

end

invariant

spouse /= Void implies spouse.spouse = Current

end

Violating the invariant



➤ See demo

What we have seen



- Invariant should only depend on Current object
- If invariant depends on other objects
 - Take care **who can change state**
 - Take care in **which order you change state**
- Invariant can be temporarily violated
 - You can still call **features on Current object**
 - Take care calling **other objects, they might call back**

Although writing invariants is not that easy, they are necessary to do formal proofs. This is also the case for loop invariants (which will come later).