



Einführung in die Programmierung Introduction to Programming

Prof. Dr. Bertrand Meyer

Exercise Session 3

Today



- We will revisit classes, features and objects.
- We will see how program execution starts.
- We will play a role game.




- A program consists of a set of classes.
- Features are declared in classes. They define operations on objects created from classes.
 - Queries answer questions. The answer is provided in a variable called **Result**.
 - Commands execute actions. They do not provide any result, so there is no variable called **Result** that we can use.
- Another name for a class is **type**.
- Class and Type are not exactly the same, but they are close enough for now, and we will learn the difference later on.

Declaring the type of an object



- The type of any object you use in your program must be declared somewhere.
- Where can such declarations appear in a program?
 - in feature declarations
 - formal argument types
 - return type for queries
 - functions
 - attributes
 - in the **local** clauses of routines



Here is where you declare objects that only the routine needs and knows about.

Declaring the type of an object



class *DEMO*

feature

procedure_name (*a1*: *T1*; *a2*, *a3*: *T2*)

-- Comment

formal argument type

local

l1: *T3*

local variable type

do

...

end

function_name (*a1*: *T1*; *a2*, *a3*: *T2*): *T3* return type

-- Comment

do

...

end

attribute_name: *T3* return type

-- Comment

end

Exercise: Find the classes / objects

Hands-On

class

game

feature

map_name: string

-- Name of the map to be loaded for the game

last_player: player

-- Last player that moved

players: player_list

-- List of players in this game.

...

Exercise: Find the classes / objects

Hands-On

feature

is_occupied (a_location: traffic_place): boolean

-- Check if `a_location` is occupied.

require

a_location_exists: a_location /= Void

local

old_cursor: cursor

do

Result := False

-- Remember old cursor position.

old_cursor := players.cursor

...

Exercise: Find the classes / objects

Hands-On

```
-- Loop over all players to check if one occupies `a_location`.
from
  players.start
  -- do not consider estate agent, hence skip the first
  -- entry in `players`.
  players.forth
until
  players.after or Result
loop
  if players.item.location = a_location then
    Result := True
  end
  players.forth
end

-- Restore old cursor position.
players.go_to(old_cursor)
end
```




- When the program is being executed (at “runtime”) we have a set of objects (instances) created from the classes (types).
- The creation of an object implies that a piece of memory is allocated in the computer to represent the object itself.
- Objects interact with each other by calling features on each other.

Who are Adam and Eve?



- Who creates the first object?
 - The runtime creates a so-called **root object**.
 - The root object creates other objects, which in turn create other objects, etc.
 - You define the type of the root object in the project settings.
- How is the root object created?
 - The runtime calls a creation procedure of the root object.
 - You define this creation procedure in the project settings.
 - The application exits at the end of this creation procedure.

Changing the root class



The screenshot shows a software interface with a left-hand navigation pane and a main configuration area. The navigation pane is expanded to show 'Target: roleplay' with sub-items 'Assertions', 'Groups', and 'Advanced'. The main area is titled 'General' and contains a table of configuration options. An 'Edit Root' dialog box is overlaid on top of the main area, with fields for 'Root Cluster', 'Root Class', and 'Root Procedure'. The 'Root Class' field contains the text 'DIRECTOR'. The 'Root Procedure' field contains 'prepare_and_play'. There is also a checkbox for 'Compile All Classes?' which is currently unchecked. At the bottom of the main configuration area, there is a text label: 'Root: Root cluster, class, feature of the system.'

Property	Value
Name	roleplay
Description	
Abstract	False
Compilation Type	Standard (C/byte code)
Output Name	
Root	DIRECTOR.prepare_and_play
Version	
Exclude P	
Profile	
Trace	
Full Class	
Cat call d	
Void safe	
Syntax	Standard syntax

Edit Root

Root Cluster:

Root Class:

Root Procedure:

Compile All Classes?

OK Cancel

Root: Root cluster, class, feature of the system.



- Queries (attributes and functions) have a result type. When **executing** the query, you get an object of that type.
- Routines have **formal arguments** of certain types. During the **execution** you pass objects of the same (or compatible) type as **actual arguments** to a routine call.
- Local variables are declared in their own section, associating names with types. During the **execution**, local variables may hold different values of their respective types at different points in time.

Acrobat game

Hands-On

- We will play a little game now.
- Some of you will act as objects.
 - When you get created, please stand up and stay standing during the game
- There will be different roles
 - Acrobat
 - Acrobat with Buddy
 - Author
 - Curmudgeon
 - Director

You are an acrobat



- When you are asked to **Clap**, you will be given a number. Clap your hands that many times.
- When you are asked to **Twirl**, you will be given a number. Turn completely around that many times.
- When you are asked for **Count**, announce how many actions you have performed. This is the sum of the numbers you have been given to date.

You are an *ACROBAT*



```
class
  ACROBAT

feature
  clap (n: INTEGER)
    do
      -- Clap `n` times and adjust `count`.
    end

  twirl (n: INTEGER)
    do
      -- Twirl `n` times and adjust `count`.
    end

  count: INTEGER
end
```

You are an acrobat with a buddy



- You will get someone else as your Buddy.
- When you are asked to **Clap**, you will be given a number. Clap your hands that many times. Pass the same instruction to your Buddy.
- When you are asked to **Twirl**, you will be given a number. Turn completely around that many times. Pass the same instruction to your Buddy.
- If you are asked for **Count**, ask your Buddy and answer with the number he tells you.

You are an *ACROBAT_WITH_BUDDY*



```
class
  ACROBAT_WITH_BUDDY

inherit
  ACROBAT
  redefine
    twirl, clap, count
  end

create
  make

feature
  make (p: ACROBAT)
  do
    -- Remember `p` being
    -- the buddy, i.e. store
    -- value of `p` in `buddy`
  end
```

```
clap (n: INTEGER)
  do
    -- Clap `n` times and
    -- forward to buddy.
  end

twirl (n: INTEGER)
  do
    -- Twirl `n` times and
    -- forward to buddy.
  end

count: INTEGER
  do
    -- Ask buddy and return his
    -- answer.
  end

buddy: ACROBAT
end
```



- When you are asked to **Clap**, you will be given a number. Clap your hands that many times. Say “Thank You.” Then take a bow (as dramatically as you like).
- When you are asked to **Twirl**, you will be given a number. Turn completely around that many times. Say “Thank You.” Then take a bow (as dramatically as you like).
- When you are asked for **Count**, announce how many actions you have performed. This is the sum of the numbers you have been given to date.

You are an *AUTHOR*



class

AUTHOR

inherit

ACROBAT

redefine *clap, twirl* **end**

feature

clap (n: INTEGER)

do

-- Clap `n` times say thanks and bow.

end

twirl (n: INTEGER)

do

-- Twirl `n` times say thanks and bow.

end

end

You are a curmudgeon



- When given any instruction (**Twirl** or **Clap**), ignore it, stand up and say (as dramatically as you can) “I REFUSE”.
- If you are asked for **Count**, always answer with 0.

You are a *CURMUDGEON*



class

CURMUDGEON

inherit

ACROBAT

redefine *clap, twirl* **end**

feature

clap (n: INTEGER)

do

-- Say "I refuse".

end

twirl (n: INTEGER)

do

-- Say "I refuse".

end

end

I am the root object



- I got created by the runtime
 - by executing my creation feature.

I am a *DIRECTOR*



- I got created by the runtime
 - by executing my creation feature.

class

DIRECTOR

create

prepare_and_play

feature

prepare_and_play

do

-- See following slides.

end



I am the root object



prepare_and_play

local

acrobat1, acrobat2, acrobat3 : ACROBAT
partner1, partner2: ACROBAT_WITH_BUDDY
author1: AUTHOR
curmudgeon1: CURMUDGEON

do

create *acrobat1*
create *acrobat2*
create *acrobat3*
create *partner1.make (acrobat1)*
create *partner2.make (partner1)*
create *author1*
create *curmudgeon1*
author1.clap (4)
partner1.twirl (2)
curmudgeon1.clap (7)
acrobat2.clap (curmudgeon1.count)
acrobat3.twirl (partner2.count)
partner1.buddy.clap (partner1.count)
partner2.clap (2)

end



Eiffel	Game
Classes with features	Telling person to behave according to a specification
Inheritance	All people were some kind of ACROBAT
Interface	Queries and commands that are applicable
Objects	People
Creation	People stand up
Entities	Names for the people
Polymorphism	A name can refer to different kind of ACROBATs
Dynamic binding	Telling people by name to do the same has different outcome



Eiffel	Game
Command call	Telling people to do something
Query call	Asking a question to a person
Arguments	E.g. how many times to clap
Return value	E.g. count in ACROBAT_WITH_BUDDY
Chains of feature calls	E.g. partner1.buddy.clap (2)