


Assignment 6: Loopy games

ETH Zurich

handout: Monday, 20 October 2014
Due: Wednesday, 29 October 2014



Good code © Randall Munroe (<http://xkcd.com/844/>)

Goals

- Practice loops and conditionals.
- Implement a system consisting of multiple classes.

1 Loop painting

To do

Write a program that does the following:

1. Asks the user to input a positive integer.
2. Displays, using asterisks, a checkered right-angled triangle having as hypotenuse a number of asterisks equal to the user input (see Figure 1.). Asterisks and white spaces should be alternating, both horizontally and vertically.
3. Displays, using asterisks, a diamond having as side the same number of asterisks as the user input. Here as well, asterisks and white spaces should be alternating.
4. Take into consideration that the user might not always input values you expect. Make sure your program does not crash, no matter what the user inputs are.




Figure 1: Example with value 7

To hand in

Hand in your class text.

2 Bagels

Write a program that plays a game called Bagels. It is a variation of Mastermind that uses the digits 1 to 9 (no zeros). Here is the specification:

- The player specifies a positive number n . The program generates an n -digit number that the player will try to guess.
- The program asks the player to provide a guess. Only n -digit numbers with no zero digits are accepted.
- After each guess, the program gives a clue specifying how close the player is to getting the right answer.
 - For each right digit in the right position, it will say **Fermi**.
 - For each right digit in the wrong position, it will say **Pico**.
 - If there are no right digits, it will say **Bagels**.
- The program should list all of the **Fermis** first and then all of the **Picos**. Because of this, the player can't assume anything from the order of the clues.

Have a look at the following examples:

Answer	Guess	Report	Comment
123	329	Fermi Pico	Fermis go first
333	312	Fermi	Each digit matches only once
322	244	Pico	-
2626	6611	Fermi Pico	-

To do

1. Download the program skeleton from http://se.inf.ethz.ch/courses/2014b_fall/eprog/assignments/06/bagels.zip and open `bagels.ecf`.
2. Implement the Bagels game inside class `BAGELS`.

Hint. In this task you might want to use some classes from the EiffelBase2 library. Class names in EiffelBase2 start with the prefix `V_`,¹ e.g. `V_ARRAY`, `V_RANDOM`.

To generate a sequence of random numbers, you can use class `V_RANDOM` in the following way:

```
-- Print random numbers in range [1..100] until we hit 13:
local
  random: V_RANDOM
do
  from
    create random -- Create a random sequence
  until
    random.bounded_item (1, 100) = 13
  loop
    print (random.bounded_item (1, 100)) -- Print current sequence element
    print ("%N")
    random.forth -- Go to the next element
  end
end
```

3. We prepared several tests that will help you determine if your Bagels implementation is correct. When you are finished with the `BAGELS` class, go to **Project -> Project Settings**, click on “Target: bagels” in the tree on the left, and then change the “Root”

¹ `V_` stands for “verified”.

entry on the right side from *BAGELS.execute* to *TESTER.test*. Compile and run your program again.

Now the system has a different entry point: it starts executing from another routine. Instead of playing Bagels with the user, it will exercise the function *clue* you wrote on a predefined set of inputs and compare the function's return values with the known correct answers. Whenever the values are not the same, it will report a mismatch.

If any of the tests fail for your program, try changing it until all 10 tests pass. You are not supposed to change class *TESTER*.

To hand in

Hand in the code of class *BAGELS* and the result of running the tests (screenshot or text).

3 Board game: Part 2

In this task you will implement a given set of classes. They may not coincide with the ones you picked last week, but it is easier to go on altogether this way.

As a reminder, you will find below the description of the problem. It has been slightly modified because it mentions six-sided dice. While this is a little detail, it gives you an idea of the fact that across different iterations of the design and development process the specifications can actually change.

The board game comes with a *board*, divided into 40 *squares*, a pair of six-sided *dice*, and can accommodate 2 to 6 *players*. It works as follows:

- All players start from the first square.
- One at a time, players take a *turn*: roll the dice and advance their respective *tokens* on the board.
- A *round* consists of all players taking their turns once.
- The winner will be the player that first advances beyond the 40th square.

To do

Implement the prototype of the board game using the following classes:

- *GAME*: encapsulates the logic of the game (start state, the structure of a round, ending conditions).
- *DIE*: provides random numbers in the required range.
- *PLAYER*: stores the state of each player in the game and performs a turn.

You can also use class *APPLICATION* as root class of your system, which is responsible for interacting with the user.

To hand in

Submit the code of classes *GAME*, *DIE*, *PLAYER*, *APPLICATION*.

If you feel lost...

... you can download the class skeletons from http://se.inf.ethz.ch/courses/2014b_fall/eprog/assignments/06/board_game.zip.