



Software Verification

Sebastian Nanz

Lecture 10: Abstract Interpretation



Abstract Interpretation

Introduction

One framework to rule them all



- In the past lectures we have introduced a particular style of program analysis: data flow analysis.
- For these types of analyses, and others, a main concern is **correctness**: how do we know that a particular analysis produces **sound** results (does not forget possible errors)?
- In the following we discuss **abstract interpretation**, a general framework for describing program analyses and reasoning about their correctness.

Main ideas: Concrete computations



- An ordinary program describes computations in some **concrete domain** of values.
 - **Example:** program states that record the integer value of every program variable.

$$\sigma \in \text{State} = \text{Var} \rightarrow \mathbb{Z}$$

- Possible computations can be described by the **concrete semantics** of the programming language used.

Main ideas: Abstract computations



- Abstract interpretation of a program describes computation in a different, **abstract domain**.
- **Example:** program states that only record a specific **property** of integers, instead of their value: their **sign**, whether they are **even/odd**, or **contained in [-32768, 32767]** etc.

$$\sigma \in \text{AbstractState} = \text{Var} \rightarrow \{\text{even}, \text{odd}\}$$

- In order to obtain abstract computations, an **abstract semantics** for the programming language has to be defined.
- Abstract interpretation provides a framework for proving that the abstract semantics is sound with respect to the concrete semantics.



The collecting semantics

We assume the state of a program to be modeled as:

$$\sigma \in \text{State} = \text{Var} \rightarrow Z$$

We will use the following notation for function update:


$$\sigma[x \mapsto k](y) = \begin{cases} k & \text{if } x = y \\ \sigma(y) & \text{otherwise} \end{cases}$$

We will write $\llbracket e \rrbracket \sigma$ to denote the value of an expression e in state σ .


We construct the **collecting semantics** as a function which gives for every program label the set of all possible states.

$$C : \text{Labels} \rightarrow \wp(\text{State})$$

Rules of the collecting semantics




$$C_{I'} = \{\sigma[x \mapsto n] \mid \sigma \in C_I \text{ and } \llbracket e \rrbracket \sigma = n\}$$



$$C_{I_{\text{true}}} = \{\sigma \mid \sigma \in C_I \text{ and } \llbracket b \rrbracket \sigma = \text{true}\}$$

$$C_{I_{\text{false}}} = \{\sigma \mid \sigma \in C_I \text{ and } \llbracket b \rrbracket \sigma = \text{false}\}$$




$$C_I = C_{I_1} \cup C_{I_2}$$

Note: In difference to the lecture on program analysis, labels are not on blocks, but on edges.

Example: Collecting semantics



Assume $x > 0$.



$$C_1 = \{\sigma \mid \sigma(x) > 0\}$$

$$C_2 = \{\sigma[y \mapsto 1] \mid \sigma \in C_1\} \cup \{\sigma[x \mapsto \sigma(x) - 1] \mid \sigma \in C_4\}$$

$$C_3 = C_2 \cap \{\sigma \mid \sigma(x) \neq 0\}$$

$$C_4 = \{\sigma[y \mapsto \sigma(x) \cdot \sigma(y)] \mid \sigma \in C_3\}$$

$$C_5 = C_2 \cap \{\sigma \mid \sigma(x) = 0\}$$

Solving the equations



➤ The equation system we obtain has variables C_1, \dots, C_5 which are interpreted over the **complete lattice** $\wp(\text{State})$.

➤ We can express the equation system as a **monotone function** $F : \wp(\text{State})^5 \rightarrow \wp(\text{State})^5$


$$F(C_1, \dots, C_5) = (\{\sigma \mid \sigma(x) > 0\}, \dots, C_2 \cap \{\sigma \mid \sigma(x) = 0\})$$

➤ Using Tarski's Fixed Point Theorem, we know that a least fixed point exists.

➤ We have seen: The least fixed point can be computed by repeatedly applying F , starting with the bottom element $\perp = (\emptyset, \emptyset, \emptyset, \emptyset, \emptyset)$ of the complete lattice until stabilization.

$$F(\perp) \sqsubseteq F(F(\perp)) \sqsubseteq \dots \sqsubseteq F^n(\perp) = F^{n+1}(\perp)$$

Example: Fixed Point Computation



$$C_1 = \{\sigma \mid \sigma(x) > 0\}$$

$$C_2 = \{\sigma[y \mapsto 1] \mid \sigma \in C_1\} \cup \{\sigma[x \mapsto \sigma(x) - 1] \mid \sigma \in C_4\}$$

$$C_3 = C_2 \cap \{\sigma \mid \sigma(x) \neq 0\}$$

$$C_4 = \{\sigma[y \mapsto \sigma(x) \cdot \sigma(y)] \mid \sigma \in C_3\}$$

$$C_5 = C_2 \cap \{\sigma \mid \sigma(x) = 0\}$$


Domain for Sign Analysis



We want to focus on the sign of integers, using the domain

$$\sigma \in \text{AbstractState} = \text{Var} \rightarrow \text{Signs}$$

where Signs is the following structure:



- \top represents all integers
- $+$ the positive integers
- $-$ the negative integers
- 0 the set $\{0\}$
- \perp the empty set


How is such a structure called?

A **complete lattice**

Example: Sign Analysis



Assume $x > 0$. Use the abstract domain for sign analysis.



$$A_1 = [x \mapsto +, y \mapsto \top]$$

$$A_2 = A_1[y \mapsto +] \sqcup A_4[x \mapsto A_4(x) \ominus +]$$

$$A_3 = A_2$$

$$A_4 = A_3[y \mapsto A_3(x) \otimes A_3(y)]$$

$$A_5 = A_2 \sqcap [x \mapsto 0, y \mapsto \top]$$



Abstract Interpretation

Foundations

Introductory example: Expressions



A little language of expressions

Syntax

$e ::= n \mid e * e$

Concrete semantics

$C[n] = n$

$C[e * e] = C[e] \cdot C[e]$

Example

$C[-3 * 2 * -5] = C[-3 * 2] \cdot C[-5] = C[-3 * 2] \cdot (-5) = \dots = 30$

Introductory example: Abstraction



Assume that we are not interested in the value of an expression but only in its **sign**:

- Negative: -
- Zero: 0
- Positive: +

Abstract semantics

$$A[n] = \text{sign}(n)$$

$$A[e * e] = A[e] \otimes A[e]$$

\otimes	-	0	+
-	+	0	-
0		0	0
+			+

Example

$$\begin{aligned} A[-3 * 2 * -5] &= A[-3 * 2] \otimes A[-5] = A[-3 * 2] \otimes (-) = \dots = \\ &= (-) \otimes (+) \otimes (-) = (+) \end{aligned}$$

Introductory example: Soundness



- We want to express that the abstract semantics correctly describes the sign of a corresponding concrete computation.
- For this we first link each concrete value to an abstract value:

Representation function

$\beta : \mathbb{Z} \rightarrow \{-, 0, +\}$

$$\beta(n) = \begin{cases} - & \text{if } n < 0 \\ 0 & \text{if } n = 0 \\ + & \text{if } n > 0 \end{cases}$$

Introductory example: Soundness



- Conversely, we can also link abstract values to the set of concrete values they describe:

Concretization function

$$\gamma : \{-, 0, +\} \rightarrow \wp(\mathbb{Z})$$

$$\gamma(s) = \begin{cases} \{n \mid n < 0\} & \text{if } s = - \\ \{0\} & \text{if } s = 0 \\ \{n \mid n > 0\} & \text{if } s = + \end{cases}$$

- **Soundness** then describes intuitively that the concrete value of an expression is described by its abstract value:

$$\forall e. C[e] \subseteq \gamma(A[e])$$

Extending the language



Syntax

$e ::= n \mid e * e \mid e + e \mid -e$

Abstract semantics

$A[n] = \text{sign}(n)$

$A[-e] = \ominus A[e]$

$A[e + e] = A[e] \oplus A[e]$

	-	0	+
\ominus	+	0	-

\oplus	-	0	+
-	-	-	?
0		0	+
+			+

Observation: The abstract domain $\{-, 0, +\}$ is not closed under the interpretation of addition.

Extending the abstract domain



We have to introduce an additional abstract value:

\top "top" - (any value)

\oplus	-	0	+	\top
-	-	-	\top	\top
0		0	+	\top
+			+	\top
\top				\top




The new abstract domain

We can extend the concretization function to the new abstract domain $\{-, 0, +, \top, \perp\}$ (add \perp for completeness):

$$\gamma(\top) = \mathbf{Z} \qquad \gamma(\perp) = \emptyset$$

We obtain the following structure when drawing the partial order induced by

$$a \leq b \text{ iff } \gamma(a) \subseteq \gamma(b)$$



How is such a structure called?

A **complete lattice**

Construction of complete lattices



- If we know some complete lattices, we can construct new ones by combining them
- Such constructions become important when designing new analyses with complex analysis domains

Example: Total function space

Let (D_1, \sqsubseteq_1) be a complete lattice and let S be a set. Then (D, \sqsubseteq) , defined as follows, is a complete lattice:

- $D = S \rightarrow D_1$ ("space of total functions")
- $f \sqsubseteq f'$ iff $\forall s \in S : f(s) \sqsubseteq_1 f'(s)$ ("point-wise ordering")

The framework of abstract interpretation



- Starting from a concrete domain C , define an abstract domain (A, \sqsubseteq) , which must be a complete lattice
- Define a representation function β that maps a concrete value to its best abstract value

$$\beta : C \rightarrow A$$

- From this we can derive the concretization function γ

$$\gamma : A \rightarrow \mathcal{P}(C)$$

$$\gamma(a) = \{c \in C \mid \beta(c) \sqsubseteq a\}$$

and abstraction function α for sets of concrete values

$$\alpha : \mathcal{P}(C) \rightarrow A$$

$$\alpha(C) = \sqcup \{\beta(c) \mid c \in C\}$$

Galois connections



➤ The following properties of α and γ hold:

Monotonicity

(1) α and γ are monotone functions


Galois connection

(2) $c \subseteq \gamma(\alpha(c))$ for all $c \in \wp(C)$

(3) $a \supseteq \alpha(\gamma(a))$ for all $a \in A$

➤ **Galois connection:** This property means intuitively that the functions α and γ are "almost inverses" of each other.

Figure: Galois connection



Galois insertions



- For a Galois connection, there may be several elements of A that describe the same element in C
- As a result, A may contain elements which are irrelevant for describing C
- The concept of Galois insertion fixes this:

Monotonicity


(1) α and γ are monotone functions

Galois insertion

(2) $c \subseteq \gamma(\alpha(c))$ for all $c \in \wp(C)$

(3) $a = \alpha(\gamma(a))$ for all $a \in A$


Figure: Galois insertion



Induced Operations



- A Galois connection can be used to **induce** the abstract operations from the concrete ones.



- We can show that the induced operation $\underline{\text{op}} = \alpha \circ \text{op} \circ \gamma$ is the most precise abstract operation in this setting.
- The induced operation might not be computable. In this case we can define an upper approximation $\text{op}^\#$, $\underline{\text{op}} \sqsubseteq \text{op}^\#$, and use this as abstract operation.




Abstract Interpretation

Widening

Range analysis



- To introduce the notion of widening, we have a look at **range analysis**, which provides for every variable an over-approximation of its integer value range.
- We are left with the task of choosing a suitable abstract domain: the **interval lattice** suggests itself.




$$\text{Interval} = \{\perp\} \cup \{[x,y] \mid x \leq y, x \in \mathbf{Z} \cup \{\infty\}, y \in \mathbf{Z} \cup \{\infty\}\} \quad 29$$

Example



Consider the following program:



➤ At program point 2, the following sequence of abstract states arises: $[x \mapsto [1, 1]]$, $[x \mapsto [1, 2]]$, $[x \mapsto [1, 3]]$, ...

Consequence: The analysis never terminates (or, if n is statically known, converges only very slowly).



The ascending chain condition

➤ Using an arbitrary complete lattice as abstract domain, the solution is not computable in general.

➤ The reason for that is the fact that the value space might be unbounded, containing **infinite ascending chains**:

$(l_n)_n$ is such that $l_1 \sqsubseteq l_2 \sqsubseteq l_3 \sqsubseteq \dots$,

but there exists *no* n such that $l_n = l_{n+1} = \dots$

➤ If we replace it with an abstract space that is finite (or does not possess infinite ascending chains), then the computation is guaranteed to terminate.

➤ In general, we want an abstract domain to satisfy the **ascending chain condition**, i.e. each ascending chain eventually stabilises:


if $(l_n)_n$ is such that $l_1 \sqsubseteq l_2 \sqsubseteq l_3 \sqsubseteq \dots$,

then there exists n such that $l_n = l_{n+1} = \dots$

Non-termination



- The reason for the non-termination in the example is that the interval lattice contains **infinite ascending chains**.



- **Trick, if we cannot eliminate ascending chains:** We redefine the join operator of the lattice to jump to the extremal value more quickly.

Before: $[1,1] \sqcup [2,2] = [1,2]$

Now: $[1,1] \nabla [2,2] = [1,+\infty]$

Widening



A **widening** $\nabla : D \times D \rightarrow D$ on a partially ordered set (D, \sqsubseteq) satisfies the following properties:


1. For all $x, y \in D$. $x \sqsubseteq x \nabla y$ and $y \sqsubseteq x \nabla y$
2. For all ascending chains $x_1 \sqsubseteq x_2 \sqsubseteq x_3 \sqsubseteq \dots$ the ascending chain $y_1 = x_1 \sqsubseteq y_2 = y_1 \nabla x_2 \sqsubseteq \dots \sqsubseteq y_{n+1} = y_n \nabla x_{n+1}$ eventually stabilizes.

➤ Widening is used to accelerate the convergence towards an upper approximation of the least fixed point.

Example (continued)



- Assume we have a widening operator ∇ that is defined such that $[1,1] \nabla [2,2] = [1, +\infty]$



- The analysis converges quickly.



Patrick Cousot and Radhia Cousot. *Abstract interpretation: a unified lattice model for static analysis of programs by construction or approximation of fixpoints*. In: POPL'77, pages 238-252. ACM Press, 1977

Neil D. Jones, Flemming Nielson: *Abstract Interpretation: a Semantics-Based Tool for Program Analysis*, 1994

Flemming Nielson, Hanne Riis Nielson, Chris Hankin: *Principles of Program Analysis*, Springer, 2005.

Chapter 1: Section 1.5

Chapter 4 (advanced material)